

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

thanks for giving us such a generous supply of plates that are on the whole so excellent.

The volume ends with an annotated 'List of the Birds of Pennsylvania' covering twenty-one pages and including 310 species, affording opportunity to briefly treat the species omitted from the body of the work. It is 'based chiefly on observations made during the past ten years in Eastern Pennsylvania, especially in the Counties of Chester, Delaware and Lancaster," but it is in part compiled from manuscript notes of John Krider and H. B. Graves, the published writings of Ridgway, Coues, Gentry, Turnbull, Baird, Michener, Barnard and Pennock, and information received from Mr. Geo. B. Sennett. Some forty or fifty names are entered without annotations, though most of these have been already discussed in the previous pages. The list contains some new and interesting records and occasionally a statement that would interest one much more if supported by a detailed account of the facts or a citation of the authority.

The 'Report' was printed by direction of the Legislature of Pennsylvania for gratuitous distribution in the State, and the demand so far exceeded the supply that the edition of 6000 copies was quickly exhausted and, we are very glad to learn, the publication of a second edition of 10,000 copies, revised and enlarged, has been ordered. When this book has found its way into the schools and farmhouses throughout Pennsylvania the profit to the birds, to the farmers, and to ornithology, that ought to result, is incalculable. If other States would but follow such a good example, it would be an important step toward lifting the cloud of ignorance that hangs over the rural mind upon matters of natural history.—C. F. B.

Ridgway on New or Little-known American Birds.-In the 'Proceedings' of the U. S. National Museum and Boston Society of Natural History, Mr. Ridgway has recently published various papers on American birds, in the main relating to Mexican and South American species, as follows: (1) 'Remarks on Catharus berlepschi Lawr.'* indorsing the species and giving its synonymy. (2) 'Descriptions of some new Species and Subspecies of Birds from Middle America.' † These are Catharus fumosus from Costa Rica and Veragua (allied to C. mexicanus Bon.); Mimus gracilis leucophæus, from Cozumel; Harporhynchus longirostris sennetti, from Southern Texas, the larger, duller, more grayish Texan race being considered as subspecifically separable from the true long irostris of Mexico; Campylorhynchus castaneus from Guatemala and Honduras. hitherto referred to C. capistratus, which it much resembles; Thryothorus rufalbus castanonotus from "Nicaragua to Colombia"; Microcerculus daulias, from Costa Rica, and related to M. philomela Scl.; Dendrornis lawrencei, from Panama, and a subspecies costaricensis of this last, from Costa Rica. (3) 'Note on the Generic name Uropsila Scl. & Salv.,' 1 which

^{*}Proc. U. S. Nat. Mus., 1887, p. 504. (Aug. 6, 1888.)

[†] Ibid., pp. 505-510. (Aug. 6, 1888.)

[‡] Ibid., p. 511. (Aug. 6, 1888.)

proves to be preoccupied and *Hemiura* is proposed in its place, with the same type.

- (4) 'Descriptions of new Species and Genera of Birds from the Lower Amazon,'* collected by Mr. C. B. Riker near Santarem during June and July, 1887. These number three genera and fifteen species, besides one from Guiana, described in a footnote. They are Thryothorus herberti Riker MS., T. oyapocensis (from Guiana), Thryophilus tænioptera, Cyphorhinus griseolateralis, Colopteryx (gen. nov., = Colopterus Cab., preoccupied) inornatus, Ornithion napæum, Tyrannulus reguloides, Attila viridescens, Thamnophilus inornatus, "Heterocnemis (?) hypoleuca sp. nov.?" Dichrozona (gen. nov.) zononota, Phlogopsis bowmani Riker MS., Rhegmatorhina (gen. nov.) gymnops, Dendrornis fraterculus, Dendrocolaptes obsoletus, and Zenaida jessiæ Riker MS. These, with three other species elsewhere described by Mr. Ridgway, formed indeed a rich harvest from a field by no means new.
- (5) 'A Review of the Genus *Psittacula* of Brisson.'† This is an important monographic revision of the genus, giving full descriptions and the bibliography of the species, eleven in number, of which three species (*Psittacula insularis*, Tres Marias Islands; *P. enquisita*, Cartagena, Colombia; *P. deliciosa*, Sanțarem) and one subspecies (*P. passerina vivida* Bahia) are characterized as new.
- (6) 'Catalogue of a collection of Birds made by Mr. Chas. H. Townsend on Islands in the Caribbean Sea and in Honduras.' Thirteen species are recorded from Grand Cayman (including Columbigallina passerina insularis Towns., MS., subs. nov.); thirty from Swan Island (including Contopus vicinus and Butorides saturatus, spp. nov.); three from Ruatan Island; fifty-six from Truxillo, Honduras (Thamnophilus intermedius, Centurus santacruzi pauper, and Eugyptila vinaceiventris are characterized as new); and ninety-nine from Segovia River, Honduras, of which the following are regarded as new: Pitylus poliogaster scapularis, Sturnella magna inexspectata, Thalurania townsendi, Colinus, nigrogularis segoviensis, Porzana exilis vagans and Tigrisoma excellens.
- (7) 'Description of a new *Psaltriparus* from Southern Arizona.'§ This is *Psaltriparus santaritæ*, similar to *P. plumbeus*, but smaller, with the sides of the head paler, etc., from the Santa Rita Mountains, Arizona.
- (8) 'Notes on some Type-specimens of American Troglodytidæ in the Lafresnaye Collection.' This paper treats of the types of ten Lafresnaye species of the genus Campylorhynchus, four of Thryothorus, and one of Troglodytes. C. brevirostris is described as new "ex. Lafr., MS." Baird's "Thryophilus rufalbus, var. poliopleura" proves to be a "pure synonym" of Thryothorus rufalbus Lafr., while Troglodytes brunneicollis Scl. proves to be identical with T. tecellata Lafr. & d'Orb. A

^{*} Proc. U. S. Nat. Mus., pp. 516-528. (Aug. 6, 1888.)

[†] Ibid., pp. 520-548. (Aug. 6, 1888.)

[‡] Ibid., pp. 572-597. (Aug. 6 to Sept. 19, 1888.)

[§] Ibid., p. 697. (Oct. 12, 1888.)

[|] Proc. Boston Soc. Nat. Hist., Vol. XXIII, pp. 383-388. (March, 1888.)

number of the names borne by the types seem never to have been published.—J. A. A.

Bendire on the Nests and Eggs of Rare Species of North American Birds.—In the 'Proceedings' of the U. S. National Museum, Captain C. E. Bendire has recently published two papers on the nest and eggs of several little known species of North American birds. The first treats of the California Black-capped Gnatcatcher,* describing its nest and eggs found by Mr. F. Stephens at San Bernardino, Cal.—the first thus far described. The second paper describes the nests and eggs of several species, collected by Lieut. Harry C. Benson near Fort Huachuca, Southern Arizona. These are the Band-tailed Pigeon (Columba fasciata), the Zone-tailed Hawk (Buteo abbreviatus), the Aplomado Falcon (Falco fusco-cærulescens), Swainson's Hawk (Buteo swainsoni), the Arizona Jay (Aphelocoma sieberii arizonæ, the White-necked Raven (Corvus cryptoleucus), Stephens's Vireo (Vireo huttoni stephensi), and the Lead-colored Bushtit (Psaltriparus plumbeus).—J. A. A.

Lawrence on a New Species of American Bird.—In the 'Proceedings' of the U. S. National Museum Mr. George N. Lawrence has described; a new species of *Catharus* (*C. berlepschi*), from Equador, allied to *C. fuscater.*—J. A. A.

Stejneger on the Japanese Creepers.—Dr. Stejneger, in his 'Review of Japanese Birds,' has recently discussed the Creepers of the genus Certhia, § of which he recognizes two forms, C. familiaris and C. f. scandulaca, which he treats at length with his usual discrimination and thoroughness.

Dr. Stejneger has also published a paper on the type specimen of Gallinula eurizonoides Lafr., described as from "l'Inde," but which Dr. Stejneger thinks it pretty safe to assume came from the Philippine Archipelago. Its near Indian ally is accordingly named Euryzona eurizonoides amauroptera (Blyth).—J. A. A.

Beckham on the Birds of Southwestern Texas. ¶—In a posthumous paper of over sixty pages the late Mr. Beckham has recorded his observations on the birds observed by him during December, 1886, and January,

^{*}Description of the Nest and Eggs of the California Black-capped Gnatcatcher (Polioptila californica Brewster). Proc. U. S. Nat. Mus., 1887, pp. 549-550.

[†]Notes on a Collection of Birds' Nests and Eggs from Southern Arizona Territory. Ibid., pp. 551-558.

[†]Description of a New Species of Bird of the genus *Catharus*, from Ecuador. Ibtd.; 1887, 503. (Aug. 6, 1888.)

[§]Review of Japanese Birds. VII.—The Creepers. Proc. U. S. Nat. Mus., 1887, pp. 606-611. (Sept. 19, 1888.)

^{||}On the Type-specimen of Euryzona eurizonoides (Lafr.). Proc. Boston Soc. Nat. Hist. Vol. XXIII, pp. 461-464. (May, 1888.)

[¶]Observations on the Birds of Southwestern Texas. By Charles Wickliffe Beckham. Proc. U. S. Nat. Mus., 1887, pp. 633-696. (Sept. 19, 1888.)